

HPE Networking CW 2050 Switch Series

HPE Networking CW 2050 24p 10/100/1000BT PoE+ 4p SFP 1G/2.5G 420W Switch (S6X72A)



What's new

- Fully managed, stackable Layer 2 switch series with 24 and 48port nonPoE and PoE models, supporting IRF stacking with up to two switches
- Four dedicated 1G/2.5G SFP uplink ports
- 24port nonPoE model includes four HPE Smart Rate 1G/2.5G ports; 24port PoE model includes four PoE++ 1G/2.5G ports delivering up to 100W per port
- Powerful PoE provides up to 420W (35W per port) to support APs, IP phones, surveillance cameras, door locks, and other IoT devices
- Fanless design on the 24port nonPoE

Overview

HPE Networking CW 2050 Switch Series is designed to empower your business with next-level connectivity. Whether you run a small or medium-sized business, or manage branch offices, the CW 2050 series offers seamless, secure, and high-performance networking without the complexity or high cost. This fully managed, stackable switch features advanced HPE Smart Rate 1G/2.5G ports and high-power PoE to support a wide range of devices, from computers to IP phones and wireless access points. With intuitive management through a web GUI and the Smart Management Center (SmartMC) dashboard, setting up and monitoring your network is simple—even for non-IT experts. For more advanced needs, the CW 2050 series integrates easily using CLI, SNMP, or REST API, ensuring compatibility with your existing systems. Choose the CW 2050 series for a reliable, scalable, and affordable solution that grows with your business.

model for acoustically sensitive environments

- Flexible, simplified management with default Web GUI, SmartMC management dashboard, CLI, SNMP, and REST API for integration with customer dashboards

Features

Enterprise class-reliable performance

The CW2050 series includes four models with 24 and 48 access ports and four builtin 1G/2.5G SFP uplinks for nonblocking performance. The 24port nonPoE model includes four HPE Smart Rate 1G/2.5G ports, and the 24port PoE model includes four PoE++ 1G/2.5G ports delivering up to 100W per port.

It supports up to 116Gbps switching capacity and up to 86Mpps performance.

Twoswitch Intelligent Resilient Fabric (IRF) stacking simplifies network management and provides high availability with uninterrupted Layer2 switching and Layer3 forwarding.

It supports Layer3 static routing and IPv6.

With industryleading 6kV serviceport surgeprotection technology, the HPE Networking CW2050 Switch Series helps reduce surgestrike risks in demanding environments such as construction sites.

Powerful PoE options for WiFi7 APs and demanding IoT devices

The 24port and 48port PoE models provide power budgets of 420W and 410W, respectively, at 35W per port, supporting WiFi7 APs, IP cameras, video phones, and other devices without the need for separate power adapters or cabling.

The 24port model includes four PoE++ ports delivering up to 100W per port for added flexibility and investment protection.

Simple and flexible management

The HPE Networking CW2050 Switch Series includes a default Web GUI and can be managed alongside other CW switches with an embedded webbased dashboard designed to simplify deployment and centralize management.

Advanced management options include HPE Intelligent Management Center (IMC), commandline interface (CLI), SNMP managers, and REST APIs for integration with existing customer dashboards.

Comprehensive security control

The CW2050 series provides multilayered access protection with granular ACLs (IPv4/IPv6, VLAN, portbased), identitydriven policies, and authentication including 802.1X, MAC, Web, RADIUS, and TACACS+, as well as Guest VLAN detection and dualNIC detection with IMC.

It supports encrypted access using SSHv2, SSL, SNMPv3, and TLS, along with rolebased privileges and audit logging.

Secure Boot verifies digital signatures to help prevent unauthorized or malicious software from loading during startup.

Threatprevention features include Control Plane Policing (DoS protection), ARP and DHCP protection, ICMP throttling, port security, and sourceport filtering.

Network isolation features include Private VLANs for usertouser traffic separation.

Technical specifications		HPE Networking CW 2050 24p 10/100/1000BT PoE+ 4p SFP 1G/2.5G 420W Switch
Product Number	S6X72A	
Differentiator	4 x HPE Smart Rate 1G/2.5G PoE++ ports at 100W per port, other ports at 35W per port	
Power consumption	23W, AC	
Heat dissipation	48-1542 BTU/hr depending on configuration	
Input voltage	Rated voltage range: 100-240 VAC at 50 Hz or 60 Hz Maximum voltage range: 90-264 VAC at 47 Hz to 63 Hz	
Ports	20 x 10/100/1000BASE-T PoE+ ports 4 x 1G/2.5G BASE-T PoE++ ports 4 x 1G/2.5G BASE-X SFP ports 1 x RJ-45 console port	
Latency	1 GE: $\leq 5\mu\text{s}$ (64 byte LIFO)	
Switching capacity	80 Gbps	
Stacking capabilities	Two-switch IRF stack	
Throughput	59.52 Mpps	
Memory and processor	CPU: Single-core Arm® 1.25 GHz Flash: 256 MB Packet buffer: 0.5 MB	
Power supply	Internal, 90V-264V AC	
PoE capability	20-port PoE+ at 35W /port, 4 ports PoE++ at 100W /port, 420W	
Management features	Web GUI Command Line Interface (CLI) Smart Management Center (SmartMC) HPE Intelligence Management Center (IMC) HPE Networking Management Software (AirWave) SNMP RestAPI	
Operating temperature	-5°C-45°C (23°F-113°F)	
Weight	5.2 kg	
Product dimensions	38.4 x 55.8 x 13.49 cm	
Warranty	Limited lifetime hardware warranty. See the warranty duration .	

HPE Services

No matter where you are in your transformation journey, you can count on HPE Services to deliver the expertise you need when, where and how you need it. From strategy and planning to deployment, ongoing operations and beyond, our experts can help you realize your digital ambitions.

Advisory & Professional services

Experts can help you map out your path to hybrid cloud and optimize your operations.

Managed services

HPE runs your IT operations, giving you unified control, so can focus on innovation.

Support services

Optimize your entire IT environment and drive innovation. Manage day-to-day IT operational tasks while freeing up valuable time and resources.

- **HPE Complete Care Service:** a modular service designed to help optimize your entire IT environment and achieve agreed upon IT outcomes and business goals. All delivered by an assigned team of HPE experts.
- **HPE Tech Care Service:** the operational service experience for HPE products. The service provides access to product specific experts, an AI driven digital experience, and general technical guidance to help reduce risk and search for ways to do things better.
- **HPE Multivendor Services:** Single point of accountability for managing on-site hardware and software support for multivendor products. HPE experts help manage your IT across technologies and platforms for HPE and non-HPE technologies, acting as the single point of contact for your IT operational needs.

Lifecycle Services

Address your specific IT deployment project needs with tailored project management and deployment services.

HPE Education Services

Training and certification designed for IT and business professionals across all industries. Create learning paths to expand proficiency in a specific subject. Schedule training in a way that works best for your business with flexible continuous learning options

Defective Media Retention is optional and allows you to retain Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

GreenLake

[GreenLake](#) is the cloud to run and manage your entire hybrid landscape—private, public, and edge. It helps you to:

- Streamline IT Operations across compute, storage, and networking without the chaos
- Unify and secure data, as you move faster
- Accelerate AI, from pilot to production

The result: greater operational efficiency, lower TCO, and faster AI delivery—all from one unified, intelligent platform built for today's hybrid enterprise.

[For additional technical information, available models and options, please reference the QuickSpecs](#)

Visit [HPE.com](https://www.hpe.com)

[Chat now](#)

© Copyright 2026 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Arm is a registered trademark of Arm Limited.
All third-party marks are property of their respective owners.

Image may differ from the actual product.

[PSN1014927461CZEN](#), April 17, 2026.

HEWLETT PACKARD ENTERPRISE

[hpe.com](https://www.hpe.com)

